

## **Exploration Magnetism Bibliography – Separating sources, finding edges, and estimating depths**

### **Always**

Blakely, R. J., 1995, *Potential Theory in Gravity and Magnetic Applications*, Cambridge Press.

Nabighian, Grauch, Hansen, LaFehr, Li, pierce, Phillips, and Ruder, 2005, The Historical Development of the magnetic Exploration Method. *Geophysics*, V. 70, #6, 33ND – 62ND.

### **Separation – classics and recommended**

Cowan, D. R., and S. Cowan, 1993, Separation filtering applied to aeromagnetic data: *Exploration Geophysics*, **24**, 429–436.

Jacobsen, B., 1987, A case for upward continuation as a standard separation filter for potential-field maps: *Geophysics*, **52**, 1138–1148.

Li, Y., and D. W. Oldenburg, 1998a, Separation of regional and residual magnetic field data: *Geophysics*, **63**, 431–439.

Naidu, 1968, Spectrum of the Potential Field Due to Randomly Distributed Sources, *Geophysics*, v. 33, #2, p. 337-345.

Naidu and Mathew, 1998, *Analysis of Geophysical Potential Fields*, Elsevier, *Advances in Exploration Geophysics* 5.

Nwobgo, 1998, Spectral Prediction of Magnetic Source Depths from Simple Numerical Models, *Computers and Geosciences*, v. 24, #9, p 847-852.

Pedersen, 1991, Relations Between Potential Sources and Some Equivalent Sources, *Geophysics*, v. 56, #7, p. 961-971.

Pilkington and Cowan, 2006, Model based Separation Filtering of Magnetic Data, *Geophysics*, v. 71 #2, p. L1-L23.

Phillips, 2001, Designing matched bandpass and azimuthal filters for the separation of potential-field anomalies by source region and source type: 15th Geophysical Conference and Exhibition, Australian Society of exploration Geophysicists, Expanded Abstracts, CD-ROM.

Spector, A., and F. Grant, 1970, Statistical models for interpreting aeromagnetic data: *Geophysics*, **35**, 293–3302.

Syberg, F. J. R., 1972a, A Fourier method for the regional-residual problem of potential fields: *Geophysical Prospecting*, **20**, 47–75.

## Edges & Depth – classics and recommended

Blakely, R. J., and R. W. Simpson, 1986, Approximating edges of source bodies from magnetic or gravity anomalies: *Geophysics*, **51**, 1494–1498.

Cooper and D. R. Cowan, 2008, Edge Enhancement of potential-Field Data using Normalized Statistics, *Geophysics*, v. 73, #3, p. H1-H4.

Grauch, V. J. S., and L. Cordell, 1987, Limitations on determining density or magnetic boundaries from the horizontal gradient of gravity or pseudogravity data: *Geophysics*, **52**, 118–121.

Gunn, P., 1997, Quantitative Methods for Interpreting Aeromagnetic Data: A Subjective Review, *Journal of Australian Geology and Geophysics*, v. 17, #2, 105-113.

Li, ., 2003, On the use of Different Methods for Estimating Magnetic Depth, *The Leading Edge*, v. November 2003, p. 1090-1099.

Li, X., 2006, Understanding 3D Signal Amplitude, *Geophysics*, v. 71 #2, L13-L16.

Naudy, H., 1971, Automatic determination of depth on aeromagnetic profiles: *Geophysics*, **36**, 717–722.

Nwobgo, 1998, Spectral Prediction of Magnetic Source Depths from Simple Numerical Models, *Computers and Geosciences*, v. 24, #9, p 847-852.

Phillips, 2000, Locating magnetic contacts: A comparison of the horizontal gradient, analytic signal, and local wavenumber methods: 70th Annual International Meeting, SEG, Expanded Abstracts, 402–405.

Phillips, Hansen, Blakely, 2007, The Use of Curvature in Potential-Field Interpretations, *Exploration Geophysics*, v. 38, 111-119.

Reid, A. B., J. M. Allsop, H. Granser, A. J. Millett, and I. W. Somerton, 1990, Magnetic interpretation in three dimensions using Euler Deconvolution: *Geophysics*, **55**, 80–

Roest, W. R., and M. Pilkington, 1993, Identifying remanent magnetization effects in magnetic data: *Geophysics*, **58**, 653–659.

Roest, W. R., J. Verhoef, and M. Pilkington, 1992, Magnetic interpretation using the 3D analytic signal: *Geophysics*, **57**, 116–125.

Smith, R. S., J. G. Thurston, T.-F. Dai, and I. N. MacLeod, 1998, ISPITM — the improved source parameter imaging method: *Geophysical Prospecting*, **46**, 141–151.

Salem, Williams, Fairhead, Smith, Ravat, 2008, Interpretation of Magnetic Data using Tile-Angle Derivatives, *Geophysics*, v. 73, #1, p. L1-L10.

Thurston, J. B., and R. S. Smith, 1997, Automatic conversion of magnetic data to depth, dip, and susceptibility contrast using the SPITM method: *Geophysics*, **62**, 807–813.

Thurston, J. B., R. S. Smith, and J.-C. Guillon, 2002, A Multimodel method for depth estimation from magnetic data: *Geophysics*, **67**, 555–561.